



Spaces
 that are
storytellers

DECORATIVE LAMINATES



אלפנדרי שיווק לבידים בע"מ
 שידלובסקי 2 א.ת יבנה
 ת.ד 512 נס-ציונה מיקוד דואר 7410401
 2, shidlovski st. Yavne
 טל. +972-3-9671560
www.alfandari.biz



חברת אלפנדרי שיווק לבידים בע"מ נוסדה בשנת 1965
חברת אלפנדרי הינה מהחברות המובילות בישראל בתחום הייבוא
והשיווק של חומרי גלם ומוצרים
המיועדים בעיקר לתעשיית הריהוט והעיצוב בישראל.
החברה חרטה על דגלה איכות ללא פשרות, אמינות ושירות
מקצועי ללקוחותיה, ביניהם יצרני ריהוט,
יצרני מטבחים, נגריות, אדריכלים ומעצבי פנים.
המרכז הלוגיסטי של החברה נמצא באזור התעשייה יבנה במתחם
ארגמן.
החברה מציעה מגוון מוצרים רחב כגון: פורמייקה, HPL בעוביים
שונים לשימוש חוץ ופנים,
כל סוגי הלבידים הקיימים, מ.ד.פ. MDF, סיבית, מלמין וכן לוחות
לחזיתות ננו אקרילי.

Spaces that are storytellers

The spaces within your home become living history, capturing your little to big moments. The shades and patterns in our laminates stores these stories in a safe haven for generations to unveil.

Imagine if there were technologically advanced laminates or smart surfaces that could be integrated into interior design elements such as walls, floors, or furniture. These laminates would have the ability to display interactive visual content or project holographic images, effectively transforming your interior space into an immersive storytelling experience.

A low-angle, upward-looking photograph of a tree trunk. The trunk is the central focus, showing its rough, textured bark in shades of brown and tan. The trunk curves slightly to the right. The background is filled with out-of-focus green leaves and branches, with some sunlight filtering through, creating a bokeh effect. The overall scene is bright and natural.

The Story of Wood

The Story of
Dining Space

WOODS יע



Durgish Oak
JW 7020



244 x 122cm

THICKNESS
0.8mm



Palasanto Teak
JW 4823



244 x 122cm

THICKNESS
0.8mm



Palasanto
JW 4434



244 x 122cm

THICKNESS
0.8mm





WOODS יע



Splendura
NV 2754



305 x 122cm

THICKNESS
0.8mm



Sham Teak
NV 2400



305 x 122cm

THICKNESS
0.8mm



Fumo
NV 2963



305 x 122cm

THICKNESS
0.8mm



WOODS ۲۷



Otto Elm
NV 1496

 244 x 122cm

 THICKNESS 0.8mm



Turin Noce
NV 4901

 305 x 122cm


 THICKNESS 0.8mm



Natural Parquet
NV 2602

 305 x 122cm

 THICKNESS 0.8mm



Walnut Parquet
NV 2603

 305 x 122cm

 THICKNESS 0.8mm





WOODS יע



Rome
SC 4150



244 x 122cm

THICKNESS
0.8mm



Riyo Wood
SC 4149



244 x 122cm

THICKNESS
0.8mm



WOODS יב



Cyprus Cedar
GO 4805

SIZE(S) 305 x 122cm

THICKNESS 0.8mm



Rytham Light
BSN 4801

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Sitka Ash
PA 4971

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Morelia Walnut
DM 4663

SIZE(S) 305 x 122cm

THICKNESS 0.8mm




WOODS יט



Morelia Walnut
TAP 4663

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Durgish Oak
TAP 7020

SIZE(S) 305 x 122cm

THICKNESS 0.8mm



Laurel Oak
TAP 2629

SIZE(S) 244 x 122cm

THICKNESS 0.6mm





The Story of Patterns



PATTERNS שיש ואבן



Silver Terrazzo
CN 2408



244 x 122cm

THICKNESS
0.8mm



Grey Terrazzo
CN 2409



244 x 122cm

THICKNESS
0.8mm



PATTERNS שיש ואבן



Limewash Concrete
CN 4682

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Crema Veneto
CN 2332

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Portoro
CN 2879

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Expose Concrete
CN 4503

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



PATTERNS שיש ואבן



Silver Terrazzo
SMT 2408

SIZE(S) 305 x 122cm


THICKNESS 0.8mm



Cement Stone
ST 4877

SIZE(S) 244 x 122cm

THICKNESS 0.8mm



Grey Terrazzo
SMT 2409

SIZE(S) 305 x 122cm

THICKNESS 0.8mm





שיש ואבן PATTERNS



Elegant marble
TAP 3785

SIZE(S) 244 x 122cm


THICKNESS 0.8mm




Creme Fabric
TAP 1610

SIZE(S) 244 x 122cm

THICKNESS 0.8mm

Travelinen
TAP 1000

SIZE(S) 244 x 122cm


THICKNESS 0.6mm & 0.8mm



A collection of autumn leaves in various colors (green, yellow, orange, red, purple) and small red berries on a dark wooden background. The leaves are arranged in a horizontal line, showing a progression of colors from left to right. The background is a dark, textured wooden surface.

The Story of Solids

SOLIDS צבעי פסטל




Black
GL 3199



244 x 122cm



0.6mm



White
TAP 3100



244 x 122cm & 305 x 122cm



0.6mm




White
MATT 3100



244 x 122cm



0.6mm



White
GL 3100



244 x 122cm & 305 x 122cm



0.6mm



SOLIDS צבעי פסטל




Black
TC 3199



305 x 122cm



0.6mm



Neo Cool White
CN 2941



244 x 122cm



0.6mm






SOLIDS צבעי פסטל



New Grey
TAP 3160

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Orange
TAP 3025

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Royal Blue
TAP 3038

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Bright Red
TAP 2245

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Marigold
TAP 3083

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Super Green
TAP 3507

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Lavender
TAP 3088

SIZE(S) 244 x 122cm THICKNESS 0.6mm



Neo Cool White
TAP 2941

SIZE(S) 244 x 122cm THICKNESS 0.6mm





SOLIDS צבעי פסטל



THICKNESS 0.8mm & 12mm
SIZE(S) 244 x 122cm

Grey
TAP 3130




THICKNESS 6mm
SIZE(S) 244 x 122cm

Black
TAP 3199



THICKNESS 6mm
SIZE(S) 244 x 122cm

Black
MATT 3199



New Frosty White
MATT 3102



244 x 122cm



THICKNESS 3mm, 6mm & 8mm



New Frosty White
TAP 3102



244 x 122cm



THICKNESS 12mm





יבואנים HPL פנים וחץ

HPL (high-pressure laminate) הוא חומר גלם נפוץ מאוד בתעשיית הריהוט העיצוב והבנייה. מדובר בציפוי העשוי משכבות נייר קראפט ודקורטיבי, שעוברות השריה בשרפים תרמוסטיים (כגון מלמין ופנול) ולאחר מכן נלחצות יחדיו בטמפרטורה ולחץ גבוהים. התוצאה היא משטח חזק, עמיד וקשיח בעל מגוון רחב של עיצובים וגימורים. המאפיינים העיקריים של HPL:

- עמידות גבוהה- עמיד בפני שריטות, חום, לחות, כתמים וכימיקלים.
- קל לניקוי- אינו סופג לכלוך בקלות וניתן לנקות אותו בקלילות.
- עמידות לאורך זמן-חומר חזק מאוד שאינו מתבלה לאורך זמן ולכן נפוץ מאוד בפרויקטים מסחריים וציבוריים.

אנו בחברת אלפנדרי שמים דגש על בחירת ספקים וחומרים איכותיים **בלבד** העומדים בתקנים המחמירים ביותר.

כיום אנו עובדים על מספר רחב של יצרנים ומתקינים מהשורה הראשונה בישראל.

ניתן להזמין גוונים וגימורים שונים לפרויקטים בהזמנות מיוחדות.



THICKNESS 3mm
244 x 122cm & 305 x 122cm
SIZE(S)

New Frosty White
MATT 3102



THICKNESS 3mm
244 x 122cm & 305 x 122cm
SIZE(S)

Black
MATT 3199



THICKNESS 3mm
244 x 122cm & 305 x 122cm
SIZE(S)

Grey
MATT 3130




ESD

Electro Static Dissipative Laminates are Laminates that diffuse Static Energy to protect electronic and other sensitive equipment from electric charges that could harm them during production. They are created to reduce electrostatic charges in the Workplace. The Decorative Surface is treated with a Conductive Layer which creates a consistent path to ground the Static Charges.

Electro Static Dissipative Grade HPL is in accordance with EN 438-3: 2016 and exceeds the Standard Values as per Testing accordance with IEC 61340 – 2-1:2017.

Composition



Grey
ESD 3130

SIZE (L)
244 x 122cm
THICKNESS
6mm



Recommended Usage:

- Static Surface Applications – drains out static charge
- Minimises chances of sparking and prevents sensitive electronic parts & appliances from getting damaged
- ESD Surfaces do not allow any dust to get accumulated on the surface
- ESD Laminates meets/exceeds the cut-off level to be considered acceptable for use in all Static Safe Applications



INDEX

CODE	NAME	PAGE NO.
WOODS		
NV 1496	Otto Elm	9
NV 2400	Sham Teak	8
NV 2602	Natural Parquet	9
NV 2603	Walnut Parquet	10
TAP 2629	Laurel Oak	16
NV 2754	Splendura	8
NV 2963	Fumo	8
SC 4149	Riyo Wood	12
SC 4150	Rome	12
JW 4434	Palasanto	6
TAP 4663	Morelia Walnut	15
DM 4663	Morelia Walnut	14
BSN4801	Rytham Light	14
GO 4805	Cyprus Cedar	13
JW 4823	Palasanto Teak	6
NV 4901	Turin Noce	10
PA 4971	Sitka Ash	13
JW 7020	Durgish Oak	6
TAP 7020	Durgish Oak	15
PATTERNS		
AP 1000	Travelinen	26
TAP 1610	Creme Fabric	26
CN 2332	Crema Veneto	22
CN 2408	Silver Terrazzo	20
SMT2408	Silver Terrazzo	24
CN 2409	Grey Terrazzo	20
SMT2409	Grey Terrazzo	24
CN 2879	Portoro	21
TAP 3785	Elegant marble	26

CODE	NAME	PAGE NO.
CN 4503	Expose Concrete	22
CN 4682	Limewash Concrete	21
ST 4877	Cement Stone	23
SOLIDS		
TAP 2245	Bright Red	32
TAP 2941	Neo Cool White	32
CN 2941	Neo Cool White	30
TAP 3025	Orange	32
TAP 3038	Royal Blue	32
TAP 3083	Marigold	32
TAP 3088	Lavender	32
MATT 3100	White	29
GL 3100	White	29
TAP 3100	White	29
MATT 3102	New Frosty White	34
TAP 3102	New Frosty White	34
MATT 3102	New Frosty White	36
TAP 3130	Grey	34
MATT 3130	Grey	36
ESD 3130	Grey	37
TAP 3160	New Grey	32
GL 3199	Black	29
TAP 3199	Black	34
MATT 3199	Black	34
MATT 3199	Black	36
TC 3199	Black	30
TAP 3507	Super Green	32

CERTIFICATION

We encourage adherence to safety standards, promote ease of application, strive to reduce installation time, and help our customers to maintain their interiors better with usage information.

Quality is a tradition we follow meticulously and in its entirety. Our commitment to the highest standards in the manufacturing process has earned us certifications.



TECHNICAL SPECIFICATIONS

S.NO	PROPERTIES	TEST METHOD	ATTRIBUTES OF PERFORMANCE	UNIT OF MEASUREMENT	RESULTS (AS PER EN 438-3)
			EN-438 LAMINATE CLASSIFICATION		HGS / VGS
1 SURFACE QUALITY					
1.1	SURFACE QUALITY	EN 438-2:2016 (CLAUSE-4)	SPOTS, DIRT AND SIMILAR SURFACE DEFECTS	mm ² /m ²	≤ 1
			FIBRES, HAIRS AND SCRATCHES	mm/m ²	≤ 10
2 DIMENSIONAL PROPERTIES					
2.1	THICKNESS	EN 438-2:2016 (CLAUSE-5)	THICKNESS TOLERANCE	mm	0.5 ≤ T < 1 : ± 0.1
				mm	1 ≤ T < 2 : ± 0.15
2.2	SIZE	EN 438-2:2016 (CLAUSE-6)	LENGTH AND WIDTH	mm	+ 10 / - 0
2.3	STRAIGHTNESS OF EDGES	EN 438-2:2016 (CLAUSE-7)	STRAIGHTNESS OF EDGES	mm/m	≤ 1.5
2.4	SQUARENESS	EN 438-2:2016 (CLAUSE-8)	SQUARENESS	mm/m	≤ 1.5
2.5	FLATNESS	EN 438-2:2016 (CLAUSE-9)	FLATNESS (MEASURED ON FULL-SIZE SHEET)	mm/m	60
3 PHYSICAL PROPERTIES					
3.1	RESISTANCE TO SURFACE WEAR	EN 438-2:2016 (CLAUSE-10)	WEAR RESISTANCE - INITIAL POINT	REVOLUTIONS	≥ 150 (HGS) / ≥ 50 (VGS)
3.2	RESISTANCE TO IMMERSION IN BOILING WATER	EN 438-2:2016 (CLAUSE-12)	APPEARANCE - GLOSS FINISH	RATING	≥ 3
			APPEARANCE - OTHER FINISHES	RATING	≥ 4
3.3	RESISTANCE TO WATER VAPOUR	EN 438-2:2016 (CLAUSE-14)	APPEARANCE - GLOSS FINISH	RATING	≥ 3
			APPEARANCE - OTHER FINISHES	RATING	≥ 4
3.4	RESISTANCE TO DRY HEAT (160°C)	EN 438-2:2016 (CLAUSE-16)	APPEARANCE - GLOSS FINISH	RATING	≥ 3
			APPEARANCE - OTHER FINISHES	RATING	≥ 4
3.5	DIMENSIONAL STABILITY AT ELEVATED TEMPERATURES	EN 438-2:2016 (CLAUSE-17)	CUMULATIVE DIMENSIONAL CHANGE	LONGITUDINAL %	≤ 0.55 (HGS) / ≤ 0.75 (VGS)
				TRANSVERSAL %	≤ 1.05 (HGS) / ≤ 1.25 (VGS)
3.6	RESISTANCE TO WET HEAT	EN 438-2:2016 (CLAUSE-18)	APPEARANCE - GLOSS FINISH	RATING	≥ 3
			APPEARANCE - OTHER FINISHES	RATING	≥ 4
3.7	RESISTANCE TO IMPACT WITH SMALL DIAMETER BALL	EN 438-2:2016 (CLAUSE-20)	SPRING FORCE	N	≥ 20 (HGS) / ≥ 15 (VGS)
3.8	RESISTANCE TO CRACKING UNDER STRESS	EN 438-2:2016 (CLAUSE-23)	APPEARANCE	RATING	≥ 4
3.9	RESISTANCE TO SCRATCHING	EN 438-2:2016 (CLAUSE-25)	APPEARANCE - SMOOTH FINISHES	RATING	≥ 2 (HGS) / ≥ 1 (VGS)
			APPEARANCE - TEXTURED FINISHES	RATING	≥ 3 (HGS) / ≥ 2 (VGS)
3.10	RESISTANCE TO STAINING	EN 438-2:2016 (CLAUSE-26)	APPEARANCE - GROUP 1 & 2	RATING	≥ 5
			APPEARANCE - GROUP 3	RATING	≥ 4
3.11	LIGHT FASTNESS (XENON ARC)	EN 438-2:2016 (CLAUSE-27)	CONTRAST	GREY SCALE RATING	4 to 5
3.12	DENSITY	EN ISO 1183-1	DENSITY	gm/cm ³	≥ 1.35

Alfandri warrants that all products are free from manufacturing defects and that they are fit and suitable for usual purpose under normal and proper use. The product must be inspected prior to installation and our liability will be limited to the extent of the cost of product only.

The product must be inspected thoroughly before its use, no claim for the visual defects will be accepted or entertained if the products is cut or altered in any manner.